

Deployment

Table of contents

1 Description.....	2
2 Deployment.....	2
3 EntityReference.....	2
4 Examples.....	2

1. Description

The Deployment data type represents an object of a Deployment base type.

2. Deployment

Attribute	Description	Required
name	The object name.	Yes
type	The object type name.	Yes
maprefuri	The maprefUri	Yes
description	The object description.	Yes
includeExistingResources	Boolean flag specifying whether to merge included entities with existing child resources.	No, defaults to true.
basedir	The base directory.	Yes

3. EntityReference

Uses one or more [EntityReference](#) elements to represent child resources.

4. Examples

Shows Deployment data type used in the [object-update](#) Ant task.

```

<object-update depot="${entity.depot}"
  resultproperty="result"
  comment="Updated myDeployment object.">
  <deployment
maprefUri="http://www.opendepo.rog/DepOnt#DeploymentSubtype_myDeployment "
  name="myDeployment "
  type="DeploymentSubtype"
  description="my descriptive text."
  basedir="/my/base/directory"
  includeExistingResources="false">

    <entityreference maprefuri="${entity.mapref-uri}"/>
    <entityreference
maprefuri="http://www.opendepo.org/DepOnt#SomeType_19" />

  </deployment>

```

Deployment

```
</object-update>
```