

# Transform-Create

## Table of contents

1 Description.....	2
2 Parameters.....	2
3 Parameters specified as nested elements.....	2
4 Examples.....	2

## 1. Description

TransformCreate defines a Transform in Workbench. Typically this task is preceded with a call to [TemplateCreate](#) task to upload the template to the DAV share.

## 2. Parameters

Attribute	Description	Required
depot	The project to update	Yes
resultproperty	Property to set with success/fail value	Yes
comment	Text describing purpose of update	Yes
passfile	File containing authentication info to server. If passfile is not specified, information from the <a href="#">framework.properties</a> file is used instead.	No

## 3. Parameters specified as nested elements

### template

A [template](#).

### context

A [context](#).

### document

A [document](#).

## 4. Examples

Create the transform definition.

```
<transform-create serverurl="${viewdoc.server}"
depot="${entity.depot}"
    resultproperty="rs"
    comment="something re this update">
  <context direction="internal" proximity="1"
```

*Transform-Create*

```
maprefuri="${entity.mapref-uri}"/>  
    <document file="haha.txt" dir="/${entity.depot}/publish"  
type="text-plain"/>  
    <template file="${templateFile}"  
dir="/${entity.depot}/templates" type="simple"/>  
</transform-create>
```